



MEREKO

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

- **Trade name:** **Mereco 3212 Activator**
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the preparation** Epoxy curing agent

· Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:** Mereco Division
Metachem Resins Corporation
1505 Main Street
West Warwick, RI 02893
USA Phone +1 / 401 / 822-9300
- **Information department:** Technical department.
email = info@mereco.com
- **Emergency telephone number:** Telephone: (401) 822-9300

* 2 Hazards identification

· Classification of the substance or mixture

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

- Xn; Harmful
- R21: Harmful in contact with skin.
- Xi; Irritant
- R36/38: Irritating to eyes and skin.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:

Xn Harmful

· Hazard-determining components of labelling:

2,4,6-tris(dimethylaminomethyl)phenol

(Contd. on page 2)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Activator

(Contd. from page 1)

- **Risk phrases:**
 - 21 Harmful in contact with skin.
 - 36/38 Irritating to eyes and skin.
- **Safety phrases:**
 - 23 Do not breathe gas/fumes/vapour/spray.
 - 25 Avoid contact with eyes.
 - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 - 28 After contact with skin, wash immediately with plenty of soap and water.
 - 36/37 Wear suitable protective clothing and gloves.
 - 52 Not recommended for interior use on large surface areas.
 - 60 This material and its container must be disposed of as hazardous waste.
 - 64 If swallowed, rinse mouth with water (only if the person is conscious).
- **Classification system:**
 - **NFPA ratings (scale 0 - 4)**
 - Health = 3
 - Fire = 1
 - Reactivity = 0
 - **HMS-ratings (scale 0 - 4)**
 - Health = 3
 - Fire = 1
 - Reactivity = 0
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture of the substances listed below with non-hazardous additions.

· Components:	
Mercaptan-terminated polymer	Xi R36/38
alkyl amino phenol	T R24; Xn R21/22; Xi R36/37/38

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

* 4 First aid measures

- **Description of first aid measures**
 - **General information:** Symptoms of poisoning may even occur after several hours; therefore medical observation is necessary for at least 48 hours after the accident.
 - **After inhalation:** In case of unconsciousness place patient in a stable side position for transportation.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Activator

(Contd. from page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

* 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mouth respiratory protective device.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

(Contd. on page 4)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: **Mereco 3212 Activator**

(Contd. from page 3)

- Use only in well ventilated areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
 - **Breathing equipment:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 - **Protection of hands:** Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation of the material.

(Contd. on page 5)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Activator

- (Contd. from page 4)
- **Material of gloves** The selection of suitable gloves depends not only on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material** The exact penetration time has to be determined by the glove manufacturer and has to be observed.
 - **Eye protection:** Tightly sealed goggles
-

* 9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
· Form:	Liquid
· Color:	Yellow
· Odor:	Sulfurous
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.
· Flash point:	149 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

(Contd. on page 6)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: **Mereco 3212 Activator**

(Contd. from page 5)

<ul style="list-style-type: none"> · Solubility in / Miscibility with · Water: Not miscible or difficult to mix.
<ul style="list-style-type: none"> · Partition coefficient (n-octanol/water): Not determined.
<ul style="list-style-type: none"> · Viscosity: · Dynamic: Not determined. · Kinematic: Not determined.
<ul style="list-style-type: none"> · Solvent content: · Organic solvents: 0.0 % · Other information No further relevant information available.

* 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
 - Strong exothermic reaction with acids.
 - Corrosive action on metals.
 - Reacts with strong acids and oxidizing agents.
 - Reacts with peroxides and other radical forming substances.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 - Hydrogen sulfide
 - Irritant gases/vapors
 - Sulfur oxides (SOx)

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
Mercaptan-terminated Polymer		
Oral	LD50	2600 mg/kg (rabbit)
Dermal	LD50	10200 mg/kg (rabbit)
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Oral	LD50	1670 mg/kg (rat)
Dermal	LD50	1400 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

(Contd. on page 7)

USA

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Activator

(Contd. from page 6)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

* 12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
 - **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

* 14 Transport information

- | | |
|--|----------------|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR, ADN, IMDG | Not Applicable |
|--|----------------|

(Contd. on page 8)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: **Mereco 3212 Activator**

(Contd. from page 7)

· IATA	UN3334
· UN proper shipping name	
· DOT	Not Regulated
· ADR, ADN, IMDG	Not Applicable
· IATA	AVIATION REGULATED LIQUID, N.O.S. (Mercaptan-terminated Polymer)
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG	
· Class	Not Applicable
· IATA	
· Class	9 Miscellaneous dangerous substances and articles. Regulated for air shipment only
· Label	9
· Packing group	
· DOT, ADR, IMDG	Not Applicable
· IATA	Not Applicable
	No packing group assigned
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 302 (extremely hazardous substances):		
None of the ingredients is listed.		
· Section 313 (Specific toxic chemical listings):		
None of the ingredients is listed by CAS number.		
· Sections 311/312 (Specific hazard chemical listings):		
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	
· Sections 311/312 Hazard Categorizations:		
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	A = Acute Health Hazard 3-10%
· TSCA (Toxic Substances Control Act):		
All ingredients are listed.		

(Contd. on page 9)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Activator

(Contd. from page 8)

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

R21/22 Harmful in contact with skin and if swallowed.
 R24 Toxic in contact with skin.
 R36/37/38 Irritating to eyes, respiratory system and skin.
 R36/38 Irritating to eyes and skin.

- **Department issuing MSDS:** Technical department

- **Contact:** Dr. John F. Plummer

- * **Data compared to the previous version altered.**



MERECO

Material Safety Data Sheet

acc. to OSHA HCS

Page 1/10

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

- **Trade name:** **Mereco 3212 Base Black**
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the preparation** Epoxy resin

· Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:** Mereco Division
Metachem Resins Corporation
1505 Main Street
West Warwick, RI 02893
USA Phone +1 / 401 / 822-9300
- **Information department:** Technical department.
email = info@mereco.com
- **Emergency telephone number:** Telephone: (401) 822-9300
Telephone: (800) 424-9300 (Chemtrec)
Call this number in the event of an accident resulting in a spill, leak or fire. Call this number in the event of exposure to the chemicals.

* 2 Hazards identification

· Classification of the substance or mixture

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Xi; Irritant
R36/38-43: Irritating to eyes and skin. May cause sensitisation by skin contact.
N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

- **Classification system:** The product has to be labelled due to the calculation procedure of international guidelines.
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

- **Labelling according to EU guidelines:** The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 1)

- **Code letter and hazard designation of product:** Xi Irritant
N Dangerous for the environment
- **Hazard-determining components of labelling:** Diglycidyl ether Bisphenol-A epoxy resin
reactive diluent (epoxy functional)
- **Risk phrases:** 36/38 Irritating to eyes and skin.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Safety phrases:** 2 Keep out of the reach of children.
28 After contact with skin, wash immediately with plenty of soap and water.
37/39 Wear suitable gloves and eye/face protection.
61 Avoid release to the environment. Refer to special instructions/safety data sheets.
- **Special labelling of certain preparations:** Contains epoxy constituents. See information supplied by the manufacturer.
- **Classification system:**
 - **NFPA ratings (scale 0 - 4)** Health = 2
Fire = 1
Reactivity = 0
 - **HMIS-ratings (scale 0 - 4)** Health = 2
Fire = 1
Reactivity = 0
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture of the substances listed below with non-hazardous additions.

· Components:	
Diglycidyl Ether Bisphenol-A epoxy resin	Xi R36/38-43; N R51/53
Reactive diluent	Xn R22; Xi R36/37/38-43
Organic filler	Xi R36/37/38 R66

(Contd. on page 3)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 2)

- **Additional information:** For the wording of the listed risk phrases refer to section 16.
This resin is a blended mixture of liquid resins and mineral, ceramic or organic fillers. These fillers do not pose airborne hazards to the user of this formulated product because they are completely encapsulated in the resin mass. If any of the specific fillers are hazardous in accordance with Section 313 of the Emergency Planning and Community Right-to-know Act (EPCRA) they are identified in section 15 of this MSDS (SARA Section 313).

* 4 First aid measures

· Description of first aid measures

- **After inhalation:** Supply fresh air. For added safety, call a doctor.
In case of unconsciousness place patient in a stable side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

* 5 Firefighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:** No special measures required.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.

(Contd. on page 4)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

- (Contd. from page 3)
- **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - **Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
Use only in well ventilated areas.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
 - **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 4)

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- **Breathing equipment:**

Not required.

- **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation of the material.

- **Material of gloves**

The selection of suitable gloves depends not only on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact penetration time has to be determined by the glove manufacturer and has to be observed.

- **Eye protection:**

Tightly sealed goggles

* **9 Physical and chemical properties**

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
· Form:	Viscous
· Color:	Black
· Odor:	Mild
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	201 °C
· Flash point:	254 °C
· Flammability (solid, gaseous):	Not applicable.

(Contd. on page 6)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 5)

· Ignition temperature:	215.0 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	1.2 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Organic solvents:	0.0 %
· Other information	No further relevant information available.

* 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with amines.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Irritant gases/vapors

— USA —

(Contd. on page 7)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 6)

* 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

1333-86-4 Carbon black

Oral	LD50	10000 mg/kg (rat)
------	------	-------------------

· Primary irritant effect:

· on the skin:

Irritant to skin and mucous membranes.

· on the eye:

Irritating effect.

· Sensitization:

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1333-86-4	Carbon black	2B	1-3%
-----------	--------------	----	------

· NTP (National Toxicology Program)

None of the ingredients is listed.

* 12 Ecological information

· Toxicity

· Aquatic toxicity:

No further relevant information available.

· Persistence and degradability

No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential

No further relevant information available.

· Mobility in soil

No further relevant information available.

· Ecotoxicological effects:

· Remark:

Toxic for fish

· Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

(Contd. on page 8)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 7)

- **Other adverse effects** No further relevant information available.

* 13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 - **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.
-

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Applicable
· UN proper shipping name · DOT · ADR, ADN, IMDG, IATA	Not Regulated Not Applicable
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	Not Applicable
· Packing group · DOT, ADR, IMDG, IATA	Not Applicable
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: Diglycidyl ether Bisphenol-A epoxy resin No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 302 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed by CAS number.
· Sections 311/312 (Specific hazard chemical listings):
reactive diluent (epoxy functional)

(Contd. on page 9)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

(Contd. from page 8)

1333-86-4	Carbon black		
· Sections 311/312 Hazard Categorizations:			
	reactive diluent (epoxy functional)	A = Acute health hazard	3-10%
1333-86-4	Carbon black	A = Acute; C = Chronic (Health Hazards)	1-3%
· TSCA (Toxic Substances Control Act):			
All ingredients are listed.			
· Proposition 65			
· Chemicals known to cause cancer:			
1333-86-4	Carbon black		1-3%
· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			
· Chemicals known to cause developmental toxicity:			
None of the ingredients is listed.			
· Carcinogenic categories			
· EPA (Environmental Protection Agency)			
None of the ingredients is listed.			
· TLV (Threshold Limit Value established by ACGIH)			
1333-86-4	Carbon black	A4	1-3%
· MAK (German Maximum Workplace Concentration)			
1333-86-4	Carbon black	3B	1-3%
· NIOSH-Ca (National Institute for Occupational Safety and Health)			
1333-86-4	Carbon black		1-3%
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.			

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	R22	Harmful if swallowed.
	R36/37/38	Irritating to eyes, respiratory system and skin.
	R36/38	Irritating to eyes and skin.
	R43	May cause sensitisation by skin contact.
	R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R66	Repeated exposure may cause skin dryness or cracking.

· Department issuing MSDS: Technical department

(Contd. on page 10)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/17/2013

Version 3

Reviewed on 04/17/2013

Trade name: Mereco 3212 Base Black

- **Contact:** Dr. John F. Plummer
- ** Data compared to the previous version altered.*

(Contd. from page 9)