



MEREKO

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: **Mereco MRC 01-1169**

· Application of the substance / the preparation: Adhesive

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Mereco Division
Metachem Resins Corporation
1505 Main Street
West Warwick, RI 02893
USA Phone +1 / 401 / 822-9300

· Information department: Technical department.
email = info@mereco.com

· Emergency telephone number: Telephone: (401) 822-9300

2 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with non-hazardous additions.

| · Components: | |
|-------------------------------|--------------|
| Acrylate, Oligomer or Monomer | Xi R36/38 |
| Photoinitiator | Xn R22 |
| Additive | Xi R36/37/38 |

· Additional information: For the wording of the listed risk phrases refer to section 16.

* 3 Hazards identification

· Classification of the substance or mixture

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/38: Irritating to eyes and skin.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

· Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: Mereco MRC 01-1169

(Contd. from page 1)

· **Label elements**

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Code letter and hazard designation of product:**

Xi Irritant

· **Risk phrases:**

36/38 Irritating to eyes and skin.

· **Safety phrases:**

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

37 Wear suitable gloves.

60 This material and its container must be disposed of as hazardous waste.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 1

· **HMIS-ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 1

* **4 First aid measures**

· **After inhalation:**

In case of unconsciousness place patient in a stable side position for transportation.

Supply fresh air.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

If symptoms persist consult doctor.

* **5 Firefighting measures**

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture**

No further relevant information available.

· **Protective equipment:**

No special measures required.

— USA —

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: Mereco MRC 01-1169

(Contd. from page 2)

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
 - **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - **Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

* 7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Use only in well ventilated areas.
 - **Information about protection against explosions and fires:** No special measures required.
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
Protect from heat and direct sunlight.
Protect from exposure to the light.
 - **Specific end use(s)** No further relevant information available.
-

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

| | |
|---|---------------------------------------|
| · Components with limit values that require monitoring at the workplace: | |
| Monomer blend | |
| TLV | Short-term value: 5 mg/m ³ |

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

—USA—

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: Mereco MRC 01-1169

(Contd. from page 3)

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not required.

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation of the material.

· **Material of gloves**

The selection of suitable gloves depends not only on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact penetration time has to be determined by the glove manufacturer and has to be observed.

· **Eye protection:**

Tightly sealed goggles

* **9 Physical and chemical properties**

| | |
|---|-----------------|
| · General Information | |
| · Appearance: | |
| · Form: | Liquid |
| · Color: | Amber colored |
| · Odor: | Mild |
| · Odour threshold: | Not determined. |
| · pH-value: | Not determined. |
| · Change in condition | |
| · Melting point/Melting range: | Undetermined. |
| · Boiling point/Boiling range: | 250°C |
| · Flash point: | > 93°C |
| · Flammability (solid, gaseous): | Not applicable. |

(Contd. on page 5)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: Mereco MRC 01-1169

(Contd. from page 4)

| | |
|---|---|
| · Ignition temperature: | |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not self-igniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Vapor pressure: | Not determined. |
| · Density at 20°C: | 1.1 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| · Water: | Not miscible or difficult to mix. |
| · Segregation coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| · Dynamic: | Not determined. |
| · Kinematic: | Not determined. |
| · Solvent content: | |
| · Organic solvents: | 0.0 % |
| · Other information | No further relevant information available. |

* 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
 - Reacts with amines.
 - Reacts with strong acids and oxidizing agents.
 - Reacts with peroxides and other radical forming substances.
 - Photoreactive.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 - Nitrogen oxides
 - Irritant gases/vapors
 - Carbon monoxide and carbon dioxide

— USA —

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: Mereco MRC 01-1169

(Contd. from page 5)

* 11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7473-98-5 2-hydroxy-2-methylpropiophenone

Oral | LD50 | 1694 mg/kg (rat)

· Primary irritant effect:

· on the skin:

Irritant to skin and mucous membranes.

· on the eye:

Irritating effect.

· Sensitization:

No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

* 12 Ecological information

· Aquatic toxicity:

No further relevant information available.

· Persistence and degradability

No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential

No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

* 14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA

Not Applicable

· UN proper shipping name

· DOT

Not Regulated

(Contd. on page 7)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: **Mereco MRC 01-1169**

(Contd. from page 6)

| | |
|--|-----------------|
| · ADR, ADN, IMDG, IATA | Not Applicable |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Not Applicable |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Not Applicable |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

* 15 Regulatory information

· Sara

| | | | |
|--|--------------------------------------|---|--------|
| · Section 302 (extremely hazardous substances): | | | |
| None of the ingredients is listed. | | | |
| · Section 313 (Specific toxic chemical listings): | | | |
| None of the ingredients is listed by CAS number. | | | |
| · Sections 311/312 (Specific hazard chemical listings): | | | |
| | Acrylated oligomer | | |
| | Monomer blend | | |
| 2530-85-0 | 3-trimethoxysilylpropyl methacrylate | | |
| · Sections 311/312 Hazard Categorizations: | | | |
| | Acrylated oligomer | A=Acute; C=Chronic; R=Reactive | 40-60% |
| | Monomer blend | A=Acute; C=Chronic; R=Reactive | 40-60% |
| 2530-85-0 | 3-trimethoxysilylpropyl methacrylate | A = Acute; C = Chronic (health hazards) | 1-3% |
| · TSCA (Toxic Substances Control Act): | | | |
| All ingredients are listed. | | | |
| · Proposition 65 | | | |
| · Chemicals known to cause cancer: | | | |
| None of the ingredients is listed. | | | |
| · Chemicals known to cause reproductive toxicity for females: | | | |
| None of the ingredients is listed. | | | |
| · Chemicals known to cause reproductive toxicity for males: | | | |
| None of the ingredients is listed. | | | |

(Contd. on page 8)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/01/2011

Version 2

Reviewed on 09/01/2011

Trade name: Mereco MRC 01-1169

(Contd. from page 7)

| |
|---|
| · Chemicals known to cause developmental toxicity: |
| None of the ingredients is listed. |
| · Carcinogenic categories |
| · EPA (Environmental Protection Agency) |
| None of the ingredients is listed. |
| · IARC (International Agency for Research on Cancer) |
| None of the ingredients is listed. |
| · NTP (National Toxicology Program) |
| None of the ingredients is listed. |
| · TLV (Threshold Limit Value established by ACGIH) |
| None of the ingredients is listed. |
| · MAK (German Maximum Workplace Concentration) |
| None of the ingredients is listed. |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) |
| None of the ingredients is listed. |
| · OSHA-Ca (Occupational Safety & Health Administration) |
| None of the ingredients is listed. |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - R22 Harmful if swallowed.
 - R36/37/38 Irritating to eyes, respiratory system and skin.
 - R36/38 Irritating to eyes and skin.
- **Department issuing MSDS:** Technical department
- **Contact:** Dr. John F. Plummer
- *** Data compared to the previous version altered.**