



MERECO

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: **Mereco XL-360 Activator**

· Application of the substance / the preparation: Epoxy curing agent

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Mereco Division
Metachem Resins Corporation
1505 Main Street
West Warwick, RI 02893
USA Phone +1 / 401 / 822-9300

· Information department: Technical department.
email = info@mereco.com

· Emergency telephone number: Telephone: (800) 424-9300 (Chemtrec)
Call this number in the event of an accident resulting in a spill, leak or fire. Call this number in the event of exposure to the chemicals.

* 2 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with non-hazardous additions.

· Components:

aliphatic polyamine	C R34; Xn R21/22-48/20-65
Additive	C R34; Xn R22-62-63; N R50/53 Repr. Cat. 3

· Additional information: For the wording of the listed risk phrases refer to section 16.

* 3 Hazards identification

· Classification of the substance or mixture

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Xn; Harmful

R21/22-48/20-62-63-65: Harmful in contact with skin and if swallowed. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Possible risk of impaired fertility. Possible risk of harm to the unborn child. Harmful: may cause lung damage if swallowed.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

(Contd. from page 1)

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

· **Classification system:** The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· **Label elements**

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Code letter and hazard designation of product:**

C Corrosive
N Dangerous for the environment

· **Hazard-determining components of labelling:**

polyoxypropylene diamine
4-nonylphenol, branched

· **Risk phrases:**

21/22 Harmful in contact with skin and if swallowed.
34 Causes burns.
48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
62 Possible risk of impaired fertility.
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
63 Possible risk of harm to the unborn child.
65 Harmful: may cause lung damage if swallowed.

· **Safety phrases:**

1/2 Keep locked up and out of the reach of children.
13 Keep away from food, drink and animal feedingstuffs.
20 When using do not eat or drink.
25 Avoid contact with eyes.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
27/28 After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

(Contd. on page 3)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

(Contd. from page 2)

- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 56 Dispose of this material and its container to hazardous or special waste collection point.
- 60 This material and its container must be disposed of as hazardous waste.
- 64 If swallowed, rinse mouth with water (only if the person is conscious).

· Classification system:

- NFPA ratings (scale 0 - 4)** Health = 3
Fire = 1
Reactivity = 0
- HMIS-ratings (scale 0 - 4)** Health = 3
Fire = 1
Reactivity = 0

4 First aid measures

- General information:** Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation is necessary for at least 48 hours after the accident.
- After inhalation:** In case of unconsciousness place patient in a stable side position for transportation.
- After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:** Immediately call a doctor.
Drink copious amounts of water and provide fresh air. Immediately call a doctor.

* 5 Firefighting measures

- Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture** No further relevant information available.
- Protective equipment:** No special measures required.

* 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

- (Contd. from page 3)
- **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
 - **Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
Use only in well ventilated areas.
 - **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
 - **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

(Contd. from page 4)

- Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
 - **Protection of hands:** Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation of the material.
 - **Material of gloves** The selection of suitable gloves depends not only on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material** The exact penetration time has to be determined by the glove manufacturer and has to be observed.
 - **Eye protection:** Tightly sealed goggles
-

* 9 Physical and chemical properties

· General Information	
· Appearance:	
· Form:	Liquid
· Color:	Yellowish
· Odor:	Ammonia-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	260°C
· Flash point:	154°C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.

(Contd. on page 6)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

(Contd. from page 5)

· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20°C:	0.95 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Segregation coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Organic solvents:	0.0 %
· Other information	No further relevant information available.

* 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
 - Reacts with acids.
 - Reacts with strong acids.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 - Nitrogen oxides
 - Irritant gases/vapors

11 Toxicological information

- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
84852-15-3 4-nonylphenol, branched		
Oral	LD50	580 mg/kg (rat)
Dermal	LD50	2140 mg/kg (rabbit)

(Contd. on page 7)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

(Contd. from page 6)

- **Primary irritant effect:**
 - **on the skin:** Caustic effect on skin and mucous membranes.
 - **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

* 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
- **Ecotoxicological effects:**
 - **Remark:** Very toxic for fish
- **Additional ecological information:**
 - **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

— USA —

(Contd. on page 8)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: **Mereco XL-360 Activator**

(Contd. from page 7)

* 14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA 	UN1760
<ul style="list-style-type: none"> · UN proper shipping name · DOT, IATA · ADR · IMDG 	CORROSIVE LIQUID, N.O.S. (4-NONYLPHENOL, BRANCHED, POLYOXYPROPYLENE DIAMINE) 1760 CORROSIVE LIQUID, N.O.S. (4-NONYLPHENOL, BRANCHED, POLYOXYPROPYLENE DIAMINE) CORROSIVE LIQUID, N.O.S. (4-NONYLPHENOL, BRANCHED, POLYOXYPROPYLENE DIAMINE), MARINE POLLUTANT
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, IMDG, IATA · Class · Label 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · ADR · Class · Label 	8 (C9) Corrosive substances 8
<ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA 	III
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	Product contains environmentally hazardous substances: 4-NONYLPHENOL, BRANCHED Yes
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups 	Warning: Corrosive substances 80 F-A,S-B Alkalis
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.

* 15 Regulatory information

- **Sara**

<ul style="list-style-type: none"> · Section 302 (extremely hazardous substances): 	None of the ingredients is listed.
<ul style="list-style-type: none"> · Section 313 (Specific toxic chemical listings): 	None of the ingredients is listed by CAS number.

(Contd. on page 9)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: **Mereco XL-360 Activator**

(Contd. from page 8)

· Sections 31 1/312 (Specific hazard chemical listings):			
All ingredients are listed.			

· Sections 31 1/312 Hazard Categorizations:			
9046-10-0	polyoxypropylene diamine	Category = A (Acute health hazard)	40-60%
84852-15-3	4-nonylphenol, branched	A = Acute health hazard	20-40%

· TSCA (Toxic Substances Control Act):			
All ingredients are listed.			

· Proposition 65

· Chemicals known to cause cancer:			
None of the ingredients is listed.			

· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			

· Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			

· Chemicals known to cause developmental toxicity:			
None of the ingredients is listed.			

· Carcinogenic categories

· EPA (Environmental Protection Agency)			
None of the ingredients is listed.			

· IARC (International Agency for Research on Cancer)			
None of the ingredients is listed.			

· NTP (National Toxicology Program)			
None of the ingredients is listed.			

· TLV (Threshold Limit Value established by ACGIH)			
None of the ingredients is listed.			

· MAK (German Maximum Workplace Concentration)			
None of the ingredients is listed.			

· NIOSH-Ca (National Institute for Occupational Safety and Health)			
None of the ingredients is listed.			

· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases** R21/22 Harmful in contact with skin and if swallowed.

(Contd. on page 10)

— USA —

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/28/2012

Version 3

Reviewed on 03/28/2012

Trade name: Mereco XL-360 Activator

(Contd. from page 9)

- R22 Harmful if swallowed.
- R34 Causes burns.
- R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R62 Possible risk of impaired fertility.
- R63 Possible risk of harm to the unborn child.
- R65 Harmful: may cause lung damage if swallowed.

- **Department issuing MSDS:** Technical department
- **Contact:** Dr. John F. Plummer
- *** Data compared to the previous version altered.**

USA



MEREKO

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

- **Trade name:** **Mereco XL-360 Base Clear**
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the preparation** Epoxy resin

· Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:** Mereco Division
Metachem Resins Corporation
1505 Main Street
West Warwick, RI 02893
USA Phone +1 / 401 / 822-9300
- **Information department:** Technical department.
email = info@mereco.com
- **Emergency telephone number:** Telephone: (401) 822-9300

2 Hazards identification

· Classification of the substance or mixture

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Xi; Irritant
R36/38-43: Irritating to eyes and skin. May cause sensitisation by skin contact.
N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:

Xi Irritant
N Dangerous for the environment

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 1)

- **Hazard-determining components of labelling:** Diglycidyl ether Bisphenol-A epoxy resin
reactive diluent
reactive diluent (epoxy functional)
- **Risk phrases:** 36/38 Irritating to eyes and skin.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Safety phrases:** 2 Keep out of the reach of children.
28 After contact with skin, wash immediately with plenty of soap and water.
37/39 Wear suitable gloves and eye/face protection.
61 Avoid release to the environment. Refer to special instructions/safety data sheets.
- **Special labelling of certain preparations:** Contains epoxy constituents. See information supplied by the manufacturer.
- **Classification system:**
 - **NFPA ratings (scale 0 - 4)** Health = 2
Fire = 1
Reactivity = 0
 - **HMIS-ratings (scale 0 - 4)** Health = 2
Fire = 1
Reactivity = 0
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture of the substances listed below with non-hazardous additions.

· Components:	
Diglycidyl Ether Bisphenol-A epoxy resin	Xi R36/38-43; N R51/53
Reactive diluent	Xi R38-43
Reactive diluent	Xn R22; Xi R36/37/38-43

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

— USA —

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 2)

4 First aid measures

· Description of first aid measures

- **After inhalation:** Supply fresh air. For added safety, call a doctor.
In case of unconsciousness place patient in a stable side position for transportation.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
 - **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - **After swallowing:** If symptoms persist consult doctor.
 - **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed** No further relevant information available.
-

5 Firefighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - **Special hazards arising from the substance or mixture** No further relevant information available.
 - **Advice for firefighters**
 - **Protective equipment:** No special measures required.
-

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
 - **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - **Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

— USA —

(Contd. on page 4)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 3)

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. Use only in well ventilated areas.
 - **Information about protection against explosions and fires:** No special measures required.
 - **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
 - **Specific end use(s)** No further relevant information available.
-

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
 - **Breathing equipment:** Not required.
 - **Protection of hands:** Protective gloves
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation of the material.

- **Material of gloves** The selection of suitable gloves depends not only on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material** The exact penetration time has to be determined by the glove manufacturer and has to be observed.
 - **Eye protection:** Tightly sealed goggles
-

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
· Form:	Liquid
· Color:	Clear
· Odor:	Mild
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	201 °C
· Flash point:	254 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	215.0 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	1.15 g/cm ³

(Contd. on page 6)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 5)

<ul style="list-style-type: none"> · Relative density · Vapour density · Evaporation rate 	<ul style="list-style-type: none"> Not determined. Not determined. Not determined.
<ul style="list-style-type: none"> · Solubility in / Miscibility with · Water: 	<ul style="list-style-type: none"> Not miscible or difficult to mix.
<ul style="list-style-type: none"> · Partition coefficient (n-octanol/water): 	<ul style="list-style-type: none"> Not determined.
<ul style="list-style-type: none"> · Viscosity: · Dynamic: · Kinematic: 	<ul style="list-style-type: none"> Not determined. Not determined.
<ul style="list-style-type: none"> · Solvent content: · Organic solvents: · Other information 	<ul style="list-style-type: none"> 0.0 % No further relevant information available.

10 Stability and reactivity

- **Reactivity**
 - **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
 - **Possibility of hazardous reactions**
 - Reacts with amines.
 - **Conditions to avoid**
 - No further relevant information available.
 - **Incompatible materials:**
 - No further relevant information available.
 - **Hazardous decomposition products:**
 - Irritant gases/vapors
-

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

<ul style="list-style-type: none"> · LD/LC50 values that are relevant for classification: 		
reactive diluent		
Oral	LD50	19200 mg/kg (rat)
Dermal	LD50	> 4500 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:**
 - Irritant to skin and mucous membranes.
- **on the eye:**
 - Irritating effect.
- **Sensitization:**
 - Sensitization possible through skin contact.
- **Additional toxicological information:**
 - The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 6)

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Toxic for fish

- **Additional ecological information:**

- **General notes:** Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

- **DOT, ADR, ADN, IMDG, IATA** Not Applicable

(Contd. on page 8)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: **Mereco XL-360 Base Clear**

(Contd. from page 7)

<ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR, ADN, IMDG, IATA 	<p>Not Regulated Not Applicable</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class 	<p>Not Applicable</p>
<ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA 	<p>Not Applicable</p>
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	<p>Product contains environmentally hazardous substances: Diglycidyl ether Bisphenol-A epoxy resin No</p>
<ul style="list-style-type: none"> · Special precautions for user 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p>Not applicable.</p>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

<ul style="list-style-type: none"> · Section 302 (extremely hazardous substances): 		
None of the ingredients is listed.		
<ul style="list-style-type: none"> · Section 313 (Specific toxic chemical listings): 		
None of the ingredients is listed by CAS number.		
<ul style="list-style-type: none"> · Sections 311/312 (Specific hazard chemical listings): 		
reactive diluent		
reactive diluent (epoxy functional)		
<ul style="list-style-type: none"> · Sections 311/312 Hazard Categorizations: 		
reactive diluent	A = Acute, C = Chronic (health hazards)	3-10%
reactive diluent (epoxy functional)	A = Acute health hazard	3-10%
<ul style="list-style-type: none"> · TSCA (Toxic Substances Control Act): 		
All ingredients are listed.		
<ul style="list-style-type: none"> · Proposition 65 		
<ul style="list-style-type: none"> · Chemicals known to cause cancer: 		
None of the ingredients is listed.		
<ul style="list-style-type: none"> · Chemicals known to cause reproductive toxicity for females: 		
None of the ingredients is listed.		

(Contd. on page 9)

— USA —

Material Safety Data Sheet

acc. to OSHA HCS

Printing date 04/11/2013

Version 1

Reviewed on 04/11/2013

Trade name: Mereco XL-360 Base Clear

(Contd. from page 8)

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· **Carcinogenic categories**

· EPA (Environmental Protection Agency)
--

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

R22	Harmful if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Department issuing MSDS:** Technical department

· **Contact:** Dr. John F. Plummer